

Table SLIDES

& Accessories



- high quality furniture fittings





- high quality furniture fittings


SISO A/S
MILEPARKEN 11
DK - 2740 SKOVLUNDE
(COPENHAGEN)
DENMARK
PHONE: (+45) 45 830 900
E-MAIL: SISO@SISO.DK
WWW.SISO.DK

All specifications stated in the catalogue are errors and omissions excepted








SISO A/S tager forbehold for trykfejl samt ændringer i produktets specifikationer.

Für Druckfehler und Irrtümer ist jede Haftung ausgeschlossen. Produktänderungen behalten wir uns vor.

DISTRIBUTOR



SPLIT FRAME where the frame & legs move	5
TOP SLIDE 9097 where the table top moves	6
SYNCHRONIC SLIDE where the table top moves synchronously	7-10
SPLIT FRAME »X-TRA LONG« for extra long table inserts	11
WOOD SLIDE »SPLIT« with worm gear for easy opening	12
FRONT SLIDE »SS-304« without wings	13
»9096« FOR FOLDED TABLE TOPS where the table plates are folded as a book	14
LEG CORNER BRACKETS, HANGERBOLTS & TOOL FOR INSERTING	15-18
KEA SCREW-IN BUSHING	19-22
»RIMA» LEG CONNECTOR F/SQUARE LEGS	23-24
TWISTER & MINI TWISTER - THE LEG CONNECTORS	25-27
TWIST'N TURN - THE LEG CONNECTOR	28
LEG CONNECTOR "CONAN"	29-30
»CURLY» MULTIFUNCTIONAL FOLDING LEG BRACKET	31-32



HINGES 33-37




TABLE EXTENSION BARS 38

TABLE CONNECTOR & CATCHES 38



SPANNERS & LAZY SUSAN 39



TABLE SPANNER "TURTLE" 40



LOCATING PINS 41



CLICK CATCH - TABLE CONNECTOR 42-45



SURF - THE TABLE CONNECTOR 46-49



TABLE SPANNER "GRABS" 50-51



CATCH # 22 - TABLE CATCH 52



HIDE AWAY MECHANISM & ACCESSORIES 53-54




TABLE CLIPS & NUTS 55



LOCKING PIN & HOOKS 56



NAIL-ON GLIDES 57-58



ADJUSTABLE GLIDES 59-60





ADJUSTABLE GLIDES & BUSHINGS 61



SPLIT FRAME

- high quality furniture fittings



SISO DENMARK




** Illustration only
for measurement use*

Other sizes on request

In mm	Model Split Steel - Zinc Plated				
Opening (O)	530	640	850	950	1050
Closed Length (C)	400	450	560	660	740
Total Length (T)	850	1090	1420	1620	1860
Wing Size (W)	350	370	550	550	650
Slide Width (A)	70	70	72	72	72
Slide Height (B)	40	40	47	47	47
Wing Width (X)	22	22	22	22	22
Load Capacity	60 kg.	60 kg.	90 kg.	90 kg.	90 kg.
Item No.:	24.01.005	24.01.013	24.01.019	24.01.029	24.01.042



In mm	Model Top Slide 9097 Steel - Zinc Plated					
Opening (O)	430	480	530	640	1020	1060
Closed Length (C)	600	650	700	800	1300	900
Total Length (T)	880	990	1050	1250	1860	1735
Wing Size (W)	220	246	246	280	420	315
Slide Width (A)	32	32	32	32	32	32
Slide Height (B)	38	38	38	38	38	40
Wing Width (X)	21	21	21	21	21	21
Load Capacity	45 kg.	45 kg.	45 kg.	45 kg.	45 kg.	45 kg.
Item No.:	24.05.013	24.05.024	24.05.037	24.05.051	24.05.085	24.05.100






** Illustration only
for measurement use*

Other sizes on request

SYNCHRONIC SLIDE »BUDGET«

- high quality furniture fittings

SISO DENMARK




* Illustration only
for measurement use


Other sizes on request

In mm	Model Synchronic »Budget« Steel - Zinc Plated					
Opening (O)	420	470	518	570	631	1020
Closed Length (C)	627	675	725	777	838	1227
Total Length (T)	1003	1051	1101	1153	1214	1859
Wing Size (W)	276	276	276	276	276	404
Slide Width (A)	34	34	34	34	34	34
Slide Height (B)	43	43	43	43	43	43
Wing Width (X)	21	21	21	21	21	21
Load Capacity	45 kg.	45 kg.	45 kg.	45 kg.	45 kg.	45 kg.
Item No.:	24.03.530	24.03.543	24.03.547	24.03.548	24.03.551	24.03.560

SYNCHRONIC SLIDE »STANDARD«



In mm	Model Synchronic »Standard« Steel - Zinc Plated					
Opening (O)	420	470	520	570	620	1020
Closed Length (C)	610	650	700	750	800	1250
Total Length (T)	950	990	1040	1090	1220	1830
Wing Size (W)	240	240	240	240	280	370
Slide Width (A)	35	35	35	35	35	36
Slide Height (B)	40	40	40	40	40	50
Wing Width (X)	22	22	22	22	22	22
Load Capacity	60 kg.	60 kg.	60 kg.	60 kg.	60 kg.	90 kg.
Item No.:	24.03.531	24.03.544	24.03.546	24.03.549	24.03.552	24.03.561





** Illustration only
for measurement use*

Other sizes on request


SYNCHRONIC SLIDE »SS-304«

- high quality furniture fittings

SISO DENMARK




In mm	Model Synchronic »SS-304« Stainless Steel - 304
Opening (O)	1020
Closed Length (C)	1250
Total Length (T)	1830
Wing Size (W)	370
Slide Width (A)	34,50
Slide Height (B)	39
Wing Width (X)	20
Load Capacity	60 kg.
Item No.:	24.03.559




** Illustration only
for measurement use*

Other sizes on request

SYNCHRONIC SLIDE WITH BRAKE



In mm	Model Synchronic "Brake" Steel - Zinc Plated			
Opening (O)	407	507	607	1007
Closed Length (C)	610	700	800	1250
Total Length (T)	900	1040	1220	1830
Wing Size (W)	240	240	305	370
Slide Width (A)	33	33	33	39
Slide Height (B)	40	40	40	49
Wing Width (X)	20	20	20	22
Load Capacity	60 kg.	60 kg.	60 kg.	90 kg.
Item No.:	24.03.572	24.03.580	24.03.586	24.03.595








** Illustration only
for measurement use*

Other sizes on request

SPLIT FRAME »X-TRA LONG«


- high quality furniture fittings

SISO DENMARK



In mm	Model Split »X-tra Long« Steel - Zinc Plated
Opening (O)	2060
Closed Length (C)	805
Total Length (T)	2635
Wing Size (W)	650
Slide Width (A)	150
Slide Height (B)	40
Wing Width (X)	36
Load Capacity	70 kg.
Item No.:	24.02.215

Supporting Leg Steel Yellow Zinc Plated	In mm
Width (W)	600
Height (H)	665
Total Hight (T)	680
Item No.:	24.02.216



* Illustration only
for measurement use

How the opening is measured:


1: Close the slide completely

2: Measure the total length when closed

3: Divide the total length (C) by 2 and make a pencil mark on the wings of the slide (W) in closed position


4: Open the slide completely and measure the distance between the pencil marks made and you have the opening (O)

Other sizes on request



How the opening is measured:
 1: Close the slide completely
 2: Measure the total length when closed
 3: Divide the total length (C) by 2 and make a pencil mark on the wings of the slide (W) in closed position
 4: Open the slide completely and measure the distance between the pencil marks made and you have the opening (O)

In mm	Wood Slide »Split« Durian Wood Hard Plastic Worm Gear		
Opening (O)	650	960	1035
Closed Length (C)	685	1060	1060
Total Length (T)	1340	2015	2082
Wing size (W)	683	1055	1055
Slide Width (A)	90	90	90
Slide Height (B)	63	60	60
Wing Width (X)	28	28	28
Item No.:	24.02.549	24.02.551	24.02.552




* Illustration only
for measurement use


FRONT SLIDE »SS-304«

- high quality furniture fittings


SISO DENMARK



STAINLESS STEEL




In mm	Model Front Slide »SS-304« Stainless Steel - 304	
Opening (O)	548	560
Closed Length (C)	700	750
Total Length (T)	1248	1310
Slide Width (A)	14	14
Slide Height (B)	48	48
Load Capacity	90 kg.	90 kg.
Item No.:	24.02.149	24.02.150




** Illustration only
for measurement use*

»9096« FOR FOLDED TABLE TOPS



In mm	»9096« For Folded Table Tops			
Opening (O)	375	425	425	475
Total Length (T)	600	650	750	700
Wing Size (W)	220	220	320	220
Slide Width (A)	41	41	41	41
Slide Height (B)	40	40	40	40
Wing Width (X)	21	21	21	21
Load Capacity	60 kg.	60 kg.	60 kg.	60 kg.
Item No.:	24.04.010	24.04.020	24.04.030	24.04.040




** Illustration only
for measurement use*

Other sizes on request

MODEL 21

Height: 60mm 1 Hole f/M8 or M10 Bolt

Steel thickness 1,5mm:
 Steel, Yellow Zinc, 6 micron # 11.07.035
 Steel, Bright Zinc # 11.07.030




MODEL 22

Height: 60mm 1 or 3 Holes f/M8 or M10 Bolt

1 Hole:
 Steel thickness 2,0mm:
 Steel, Yellow Zinc, 6 micron # 11.07.042
 Steel, Bright Zinc # 11.07.040


3 Holes:
 Steel thickness 2,0mm:
 Steel, Yellow Zinc, 8 micron # 11.07.043
 Steel, Bright Zinc # 11.07.041



MODEL 23

Height: 40mm 1 Hole f/M8 or M10 Bolt


Steel thickness 1,5mm:
 Steel, Yellow Zinc, 6 micron # 11.07.051
 Steel, Bright Zinc # 11.07.050



MODEL 26

Height: 50mm 1 Hole f/M8 or M10 Bolt

Steel thickness 2,0mm:
 Steel, Yellow Zinc, 6 micron # 11.07.066
 Steel, Bright Zinc # 11.07.065



LEG CORNER BRACKETS


MODEL 27

Height: 32mm 1 Hole f/M8 or M10 Bolt

Steel thickness 2,0mm:

Steel, Bright Zinc

11.07.070




MODEL 28

Height: 85mm 2 Holes f/M8 or M10 Bolt

Steel thickness 2,0mm:

Steel, Bright Zinc

11.07.076




MODEL 29

Height: 70mm 2 Holes f/M8 or M10 Bolt

Steel thickness 1,5mm:

Steel, Bright Zinc

11.07.081




MODEL 36

Height: 59mm 1 Hole f/M8 or M10 Bolt

Steel thickness 2,0mm:


Steel, zinc plated

11.07.140




LEG BRACKET - FLAT

Material: Steel, Bright Zinc Plated
Size: 66 x 58 x 1,8 mm
Hole: M8
Item No.: # 06.11.151





LEG BRACKET - 10 DEGREE ANGLE

Material: Steel, Bright Zinc Plated
Size: 66 x 58 x 1,8 mm
Hole: M8
Item No.: # 06.11.150



LEG BRACKET - 10 DG - W/HEX NUT

Material: Steel, Bright Zinc Plated
Size: 66 x 58 x 1,8 mm
Hole: M8
Item No.: # 06.11.152




HANGERBOLTS & TOOL FOR INSERTING

HANGERBOLTS

Material: Steel
Finish: Yellow Zinc or Bright Zinc

Size	Item No.:	Size	Item No.:
M4 x 25 mm	# 12.13.000	M8 x 100 mm	# 12.13.037/38
M4 x 50 mm	# 12.13.001	M10 x 50 mm	# 12.13.150
M6 x 50 mm	# 12.13.006/08	M10 x 60 mm	# 12.13.160/61
M6 x 60 mm	# 12.13.016/17	M10 x 70 mm	# 12.13.170
M8 x 50 mm	# 12.13.022/23	M10 x 80 mm	# 12.13.180
M8 x 60 mm	# 12.13.027	M10 x 90 mm	# 12.13.190
M8 x 70 mm	# 12.13.031/32	M10 x 100 mm	# 12.13.200
M8 x 80 mm	# 12.13.035	M10 x 120 mm	# 12.13.205







Other sizes on request



M4 to M10

TOOL FOR INSERTING HANGERBOLTS

Size	Item No.:
M6	# 12.13.100
M8	# 12.13.105
M10	# 12.13.115






Tool

KEA SCREW-IN BUSHING w/ SPRING-LOADED INTERNAL THREAD

Material:	Zamak, Plain	
Bore:	Ø22 mm x 15 mm	
Threaded hole:	M8 & M10	
Item No.:	M8	# 11.07.010
	M10	# 11.07.011
Tool for inserting KEA bushings::		
Item No.:	# 11.07.025	




KEA bushing for tables.


The perfect solution for coffee and dining tables.

The KEA solution gives you the possibility to tighten and adjust your table leg in any position due to its **patented** internal spring-loaded system.

With a traditional bushing you normally reach a point where you cannot turn in the hangerbolt any further. If you then have a square table leg that has to be flush with the edge of the table you have a problem. Only by heavy force you can try to turn your table leg further and risk that the wood cracks.

This will not happen with the KEA bushing due to its **patented** internal spring-loaded system.







KEA SCREW-IN BUSHING, TRIANGULAR PLATE w/ SPRING-LOADED INTERNAL THREAD

Material: Zamak, Plain



Size: 123,5 x 33 x 65 mm


Threaded hole: M8 & M10

Item No.:	M8	# 11.07.015
	M10	# 11.07.016








The triangular KEA has been tested by SP Swedish National Testing and Research Institute and has proven strong even for bed frame use.





KEA SCREW-IN BUSHING, SQUARE PLATE w/ SPRING-LOADED INTERNAL THREAD

Material:	Zamak, Plain	
Size:	47,5 mm x 47,5 mm	
Threaded hole:	M8 & M10	
Holes:	c/c 32 mm	
Item No.:	M8	# 11.07.001
	M10	# 11.07.002



KEA SCREW-IN BUSHING



KEA SCREW-IN BUSHING, ROUND PLATE w/ SPRING-LOADED INTERNAL THREAD

Material: Zamak, Plain






Size: Ø60 mm

Threaded hole: M8 & M10

Holes: c/c 32 mm

Item No.: M8 # 11.07.005
M10 # 11.07.006

Flush mounting for
extra strength



"RIMA" LEG CONNECTOR F/SQUARE LEGS

- high quality furniture fittings

SISO DENMARK

The "RIMA" leg connector gives you the possibility to tighten and adjust your leg in any position due to its patented internal spring-loaded system.

With a traditional bushing you normally reach a point where you cannot turn in the hangerbolt any further. If you then have a square leg that has to be flush with the edge of the furniture you have a problem. Only by heavy force you can try to turn your leg further and risk that the wood cracks.





This will not happen with the "RIMA" connector due to its patented internal spring-loaded system.



PATENTED

"RIMA" LEG CONNECTOR



Application:	F/Square Legs W/Spring Tension
Material:	Black PC/ABS
Size:	81,5 x 20,5 mm
Max. Leg size:	70 x 70 mm , F/M10 bolt
Panel thickness:	From 10 mm
Item No.:	# 06.11.140




Tighten and adjust the leg to correct position without cracking the wood

ANGLE WEDGE FOR "RIMA" LEG CONNECTOR

Feature:	Adjustable in 3 steps from 0 to 10 degrees.
Material:	Black PC/ABS
Size:	81,5 x 20,5 mm, 5° angle
Item No.:	# 06.11.145




How to change the angle and direction




5° angle by use of one wedge



10° angle by use of two wedges



7° angle and change of direction by use of two wedges



TWISTER - THE LEG CONNECTOR

- high quality furniture fittings

SISO DENMARK



TWISTER - LEG CONNECTOR

The "Twister" leg connector is designed for installing a leg in any position from 0 – 20 degrees – one way, simply by twisting the leg tightly onto the connector plate.

May be used on tables, cabinets, beds, sofas ect. wherever a leg is needed.

"Twister" gives the possibility to change the design on the furniture whenever there is a demand. Furthermore it may be used as a height adjuster/leveller in case of uneven floors.

Adjustable up to 40mm when changing the angle from 0 – 20 degrees. "Twister" is designed for maximum leg diameter of 50mm and M8 bolt.

The round sliding plate and body are made of black reinforced ABS.

The internal part is made of steel.

Danish design by SISO & Jesper Møller Hansen.

Pat. Pending in EU & US.

Wood top mounting



(Leg: customer provided)

**Glass top mounting
w/aluminium disc & UV-glue**



(Leg: customer provided)



TWISTER - THE LEG CONNECTOR

WOOD TOP MOUNTING

Material: Reinforced ABS & steel
 Total size: Ø 106,5 x 27 mm
 Screw holes: Ø 5,5 mm
 Item No.: 06.11.100
 Packing: 1 pce pr. inner box
 Screws and hangerbolt to be bought separately.



GLASS TOP MOUNTING W/ALUMINIUM DISC & UV-GLUE

For glass top mounting by use of Twister connector combined with an aluminum disc.


Material: Aluminium

Size: Ø 108 x 10 mm, For screws M5 x 8mm

Item No.: # 06.11.121

Fixing screws and Twister connector to be ordered separately.

The aluminium disc is glued to the glass by use of Bohle UV-Glue B 682-0. UV-lamp is needed.



MINI TWISTER - THE LEG CONNECTOR

- high quality furniture fittings



Ideal for chairs, beds, sofas and coffee tables.

Material: SS304

Total size: Ø 85 x 24 mm

Screw holes: Ø 5,5 mm


Item No.: 06.11.200, Black
06.11.201, Raw

Packing: 1 pce. per inner box

Screws and hangerbolt to be bought separately.





Stainless steel 304,
Black



Preset positioning spots to insure correct adjustment and strength

- 0°
- 6,50°
- 13,50°
- 20°





PATENTED



Stainless steel 304,
RAW



(Leg: customer provided)



X = 0°, 6,5°, 13,5°, 20°



"TWIST 'N TURN" - THE LEG CONNECTOR

"TWIST 'N TURN" - THE LEG CONNECTOR

Ideal for tables, cabinets, beds, sofas, coffee tables ect.

Feature: Adjustable in 5 steps from 0 to 15 degrees

Material: PA6 – re-inforced with glass fibre

Size: Ø 79,5 x 20 mm

Screw holes: Ø 6,2 mm


Item No.: # 06.11.130

Packing: 1 pce. per inner box


Screws and hangerbolt to be bought separately




0 degrees




5,5 degrees





10,5 degrees





13,5 degrees



15 degrees



The 4 illustrated screws are included.
Used to set the desired bracket angle
before installing the leg



PATENTED

LEG CONNECTOR "CONAN"

- high quality furniture fittings



ANGLE ADJUSTMENT LEG CONNECTOR "CONAN"

Intelligent self-adjusting stainless steel leg connector bracket. Ideal for any kind of furniture with slanted legs. Due to its rocking stainless steel nuts the bracket may be used from 0 – 25 degrees. Fixed to the leg by 2 special wood screws.



LEG CONNECTOR "CONAN"


Material: SS-304
Size: 80 x 110 x 15 mm (W/L/H)
Screw holes: Ø 6,5 mm

Item No.:
Black # 06.11.210
Raw # 06.11.211

Packing: 1 pce. per inner box.

Wood screws to be bought separately.
(Must be used for perfect function)

PATENTED



LEG CONNECTOR "CONAN"



1. Drill two holes straight into the leg
(Recommended hole size $\varnothing 7 \times 70$ mm)




2. Cut the top of the leg into the desired angle



3. Fix the bracket to the leg with the 2 special wood screws



4. The nuts adjust themselves to the angle of the leg





5. Fix the bracket to your furniture



WOOD SCREW

Material: SS-304
Size: $\varnothing 7 \times 80$ mm, Torx 30
Item No.: # 06.11.215
(2 pcs pr. bracket)



"CURLY" MULTIFUNCTIONAL FOLDING LEG BRACKET

- high quality furniture fittings

SISO DENMARK

The folding leg connector "Curly" gives you the possibility of transforming your dining table into a coffee table, simply by pushing the activator button and folding the legs. Ideal for apartments with limited space.

May be used on classic folding tables as well. Ideal for hotels, cafés, restaurants, public halls, banks, bars & meeting rooms.

Has been tested at Danish Technological Institute according to EN 15372:2016 - Level 2.



Danish design by SISO A/S.



PATENTED




"CURLY" MULTIFUNCTIONAL LEG BRACKET

Material:	Black PC/ABS
Size:	Ø115 x 85 mm
Max leg diam.:	Ø60 mm, F/M10 bolt
Item No.:	# 06.11.050



M10 x 1,5 mm. thread
(Max. inserted thread length 20 mm.)




Activation push button



STACKING BUMPER FOR "CURLY"

STACKING BUMPER F/ "CURLY"



Material:	Black Silicon
Size:	Ø56 x 10,5 mm
Thread:	M10 x 14 mm
Item No.:	# 06.11.055



SEWING MACHINE TABLE HINGE

Material: Brass
Screw Holes: Ø 4.0 mm

Sizes	Finish	Item. No
30 x 72 x 2.0 mm	Brass Sanded	# 15.11.350
30 x 72 x 2.0 mm	SS-Look	# 15.11.355
30 x 72 x 2.0 mm	Bronzed	# 15.11.370
30 x 80 x 2.0 mm	Brass Sanded	# 15.11.310





BRASS CYLINDER HINGE w/ SS PIN & SCREWS

Material: Body and Linkage: Brass
Pin and Screws: Stainless Steel (SS)
Finish: Brass Natural

Sizes	Item No	A*	B*
Ø10 mm	# 15.07.345	11,0 mm	2,0 mm
Ø12 mm	# 15.07.346	13,5 mm	2,2 mm
Ø14 mm	# 15.07.347	15,5 mm	3,0 mm
Ø16 mm	# 15.07.348	16,5 mm	3,0 mm
Ø18 mm	# 15.07.349	17,5 mm	3,0 mm
Ø24 mm	# 15.07.350	25,0 mm	4,5 mm

* See illustration A and B for measurement




PIANO HINGE



Material: Steel
Screw hole: Ø4 mm - c/c 60 mm






Size	Finish	Item No.
32 x 0,6 x 2000 mm	Brass Plated Lacquered	# 15.12.077
32 x 0,6 x 2000 mm	Nickel Plated	# 15.12.075



VICI HINGE - ZAMAK w/ STEEL LINKAGE - 180°

Material Body: Zamak
Linkage: Steel
Finish: Yellow Zinc Plated (YZP)
Size: 44 x 12,5 mm
Screw Hole: Ø4 mm - c/c 32 mm
Item No.: # 15.07.115

Other sizes and finishes on request



VICI HINGE - ZAMAK w/ SS LINKAGE - 180°

Material Body: Zamak
Linkage: Stainless Steel (SS)
Finish: Body: Stainless Steel look- Brushed
Linkage: Plain

Incl. 4 CSK chip board screws

*All measurements in mm

A	B*	C*	D*	E*	F	G	H*	I	J	K	Item No.
45 mm	13	20,5	31,6	8	6,7	18,8	12	5	6,6	4	15.07.120
60 mm	13	21,5	47,2	9	6,5	32	12	6	7,7	5	15.07.121
70 mm	16	26,5	54	10,5	8	34	15,5	7	8	5	15.07.122
95 mm	19	32	75	13	10	52	17	10	10	6	15.07.123

* tolerance $\pm 0,3$







TABLE FLAP HINGE "ZAMAK"





Material: Body: Zamak, Yellow Zinc Plated
Linkage: Steel, Yellow Zinc Plated

Over all size: 108 x 40 x 3 mm

Panel size: 20 mm # 15.80.175
Panel size: 27 mm # 15.80.180

Spacer For Panel Thickness Reduction

1 mm Steel, Yellow Zinc Plated # 15.80.185



ELU TABLE HINGE 180°

Material: Steel, Yellow Zinc Plated (YZP)
Over all Size: 85 mm x 46 mm

Panel Size X	Item No.	Panel Size X	Item No.
16 mm	# 15.80.110	18 mm	# 15.80.120
22 mm	# 15.80.140	25 mm	# 15.80.155
30 mm	# 15.80.170		

Spacer For Panel Thickness Reduction = SFPTR*

SFPTR*	Item No.	SFPTR*	Item No.
1 mm	# 15.80.000	2 mm	# 15.80.001

The Spacer gives you the possibility to operate with only one hinge size even though you use different panel thicknesses in your production.

Example given: Take a Hinge for 18 mm panel thicknesses and add a 2 mm spacer. Now you can use the hinge for 16 mm panel thickness.









TABLE FLAP HINGE - f/ 22 mm PANEL - 180°

Material:

Body: Nylon





Linkage: Zamak

Bore Size: Ø35 mm and Ø25 mm

Hole Depth: 19 mm

Finish

Body:	Linkage:	Item No.
Beige	Yellow Zinc	# 15.80.200
Black	Black Zinc	# 15.80.201



OVAL HINGE "NYLON" W/STEEL LINKAGE

Material:

Body: Nylon, Brown




Linkage: Steel

Finish: Yellow Zinc Plated (YZP)

Size: 12 x 31 x 16 mm

Screw Hole: Ø5 mm

Item No.: # 15.07.160



SEPA HINGE 180°

Material:	Zamak
Panel thickness:	Min. 26 mm
Size:	52 x 18 x 2 mm
Item No.	# 15.04.076









Table leaves



Inset door



Overlay door

LIFT OFF HINGE - w/ STOP FOR TABLE LEAVES

Material:	Steel, 3 mm
Finish:	Yellow Zinc Plated
Screw hole:	Ø4,5 mm
Angle:	90 Degree
Item No.:	# 24.09.040







TABLE EXTENSION BARS

TABLE EXTENSION BAR 590 mm

Max pull out:	365 mm
Material:	Steel – 1 mm
Size:	
Bar:	590 x 20 x 10 mm
U-bracket:	200 x 53 x 23 mm
Finish:	Galvanized
Item No.:	# 24.09.023
(1 set = 1 bar + 1 bracket + 6 screws)	





TABLE EXTENSION BAR 810 mm

Max pull out:	500 mm
Material:	Steel – 2 mm
Size:	
Bar:	810 x 25 x 15 mm
U-bracket:	77 x 90 x 28 mm
Finish:	Black anodized
Item No.:	# 24.09.025
(1 set = 1 bar + 2 bracket + 12 screws + 1 bushing + 1 adjustable glide)	







TABLE CATCH "SPRING"



Material: Steel, Yellow Zinc Plated
Overall size: 44 x 16 x 1 mm
Screw hole: Ø4

Item No: # 24.03.042





TABLE CATCH "MINI"



Material: Steel, Yellow Zinc Plated
Overall size: 54 x 40 x 1 mm
Screw hole: Ø4

Item No: # 24.03.041



LINKIT - THE DESK TOP CONNECTOR


Material: Zamak
Finish: Anthracite (Dark Grey)
Size: 75 x 120 mm - c/c 32 & 64 mm
Screw hole: Ø4,5 mm with 6 mm horizontal adjustment
Item No: # 24.03.090

Design registered in:
USA, UK, Germany, Australia and New Zealand

Fixation:


Screw-in Bushing D-613 Item No.: # 12.10.191

Raised Dome Head Screw - PZD Item No.: # 12.06.830




CIRCULAR TABLE SPANNER

Material: Zamak, 1,5 mm
 Screw hole: Ø4 mm
 Diameter: Ø60 mm
 Item No.: Brass Plated # 24.03.070
 Item No.: Nickel Plated # 24.03.071




CIRCULAR TABLE SPANNER, 2003

Material: Steel, 1,6 mm
 Screw hole: Ø3,9mm
 Diameter: Ø47 mm
 Item No.: Brass Polished # 24.03.025



LAZY SUSAN ALUMINIUM TURNTABLE

Material: Ring: 1st grade aluminium, Die Cast
 Balls: High grade stainless steel (grade 200)
 Application: 360 Degree easy swivelling, apply to any kind of dining table, TV-stand, computer tables etc.
 Also perfect for outdoor use when using stainless steel ball bearings.



			Load	Top		Bottom	
Sizes		Item. No.:	Capacity	Out	In	Out	In
Outer diameter	Inner diameter			White rubber Ø10 x 3,3 mm	Ø5,5 mm CSK Holes	Ø5,5 mm CSK Holes	White rubber Ø10 x 3,3 mm
Ø304 x 12mm	Ø247mm	# 16.15.371	50-70 kg	6	4	4	6
Ø401 x 12mm	Ø338mm	# 16.15.382	80-100 kg	6	4	4	6
Ø600 x 12mm	Ø524mm	# 16.15.395	170-190 kg	8	4	4	8





TABLE SPANNER "TURTLE"


- high quality furniture fittings



TABLE SPANNER "TURTLE"



Notice:
The tension offered by the two wings when travelling secures table top levelling



Ideal for connecting wooden tops or panels by simply turning the lids clockwise.

Material:	PA6 – GF
Size:	Ø62 x 18 mm.
Screw holes:	Ø4mm, counter sunk
Item No.	
Male + Female:	# 24.03.075
Drilling Jig	
Plastic, white	# 24.03.078-5



Drilling Jig

LOCATING PIN "SMAG"

Application:

Locating pin with integrated hold function. Ideal for connecting table tops, without using a classic table catch.


Material: Steel & plastic

Size: Ø8 x 36,30 mm

Finish: Yellow zinc plated & black

Item No.: Female # 11.06.865

Male # 11.06.866



LOCATING PINS


Material: Zamak
Size: Ø8 x 21 mm
Finish: Yellow Zinc 2-3 Micron
Item No.: Male & Female # 11.06.870

Material: Brass
Size: Ø8 x 21,5 mm
Finish: Natural
Item No.: Male # 11.06.855
 Female # 11.06.856


Material: Steel
Size: Ø8 x 22 mm
Finish: Yellow Zinc 12 Micron or Bright Zinc 3 Micron
Item No.: Male - BZP # 11.06.846
 Female - BZP # 11.06.845
 Male - YZP # 11.06.850
 Female - YZP # 11.06.849

Material: Steel
Size: Ø8 x 22 mm
Finish: Yellow Zinc 12 Micron
Item No.: Male & Female # 11.06.851

Material: Nylon
Size: Ø8 x 26 mm
Finish: Brown
Item No.: Male # 11.06.890
 Female # 11.06.891



Click Catch Innovative patented solution for connecting table and additional table leaves!



The connector consists of a male and female part – a revolving fork and a U-bracket.

Normally two sets of **CLICK CATCH** are mounted under separate table tops to connect a pair of tables by wedging the forks into the U-brackets. When not in use the forks are easily swivelled back under the table top, where they remain invisible and of no obstruction to knees!

We supply a template for the correct location of fastening screws, but otherwise the positioning of the hardware is determined by the furniture manufacturer.

The hardware is manufactured from 3 mm har steel plate, bright zinc or yellow zinc plated. You can furthermore choose between 2 different lengths.

The standard model which is 153 mm long and a longer and even stronger model “XL” which is 201 mm.

The “XL”-model is especially popular for tables with chamfered plates.

We are also prepared to supply extra female parts of the **CLICK CATCH** in case clients want to offer their desks with more than one attachment position.

Originally the **CLICK CATCH** was created for connecting tables, but also modular chairs can be joined into sofas - and single beds into double beds - simply by applying the **CLICK CATCH** !

CLICK CATCH

Material: 3mm Steel plate
Finish: Bright Zinc or Yellow Zinc Plated

CLICK CATCH standard version





Bright Zinc Plated: # 24.03.140
Yellow Zinc Plated: # 24.03.141

Female part only

Bright Zinc Plated: # 24.03.130
Yellow Zinc Plated: # 24.03.131

Patents:
US 5,947,628
DK 171823
UK 2314881
DE 19681404
EP patent






CLICK CATCH



CLICK CATCH »XL«

- high quality furniture fittings

SISO DENMARK



CLICK CATCH »XL« Ideal for Tables with chamfered Plates

Material: 3 mm steel plate
Finish: Bright Zinc

Patents: US 5,947,628 DK 171823
UK 2314881 DE 19681404
EP patent

CLICK CATCH »XL« - version



Design: Jesper Møller Hansen

Bright Zinc Plated: # 24.03.145

Female part only

Bright Zinc Plated: # 24.03.130




CLICK CATCH 90 DEGREE



CLICK CATCH 90 DEGREE

Material: 3 mm Steel plate
Finish: Bright zinc plated
Item No.: 24.03.147

PATENTS
US 5,947,628
DK 171823
UK 2314881
DE 19681404
EP PATENT



SURF

BREAKING THE TRADITIONS







SURF ZAMAK

A patented solution for connecting tables

The SURF is mounted under the table top to connect tables by sliding the ellipse into the female part. When connected, you lock and tighten the SURF by closing the black plastic locking cap.


When not in use the ellipse is easily swivelled back under the table top, where it remains invisible and of no obstruction to knees!

The female part, when not in use, works like a spacer for safe stacking of additional table leaves.



1 set consists of a male and a female part made of zamak. Fixation by means of 4 wood screws, a zamak screw-in bushing and a fifteen screw.







1 Male + 1 female - Alu finish	# 24.03.100
Female part only - Alu finish	# 24.03.102
Wood screw Ø4 x 16 mm, BZP	# 15.04.400
Fifteen screw M6 x 25 mm, black	# 12.00.903
Screw-in bushing E-620, zamak M6 x 20 mm, YZP	# 12.10.223



SURF - THE TABLE CONNECTOR



PATENTED



SURF PA6 – THE TABLE CONNECTOR


quality furniture fittings

SISO
DENMARK



PATENTED

The SURF PA6 table connector is the second generation of our table connector SURF. As the name indicates it is produced in polyamid material whereas the original SURF is made of zamak. The function is the same but due to the choice of material the price is more affordable. It is however only available in black color.



1 set consists of a male & female part made of PA6 material.
Fixation by means of 4 wood screws, a zamak screw-in bushing and a fifteen screw.

1 Male + 1 female – black	# 24.03.107
Pan headed wood screw $\varnothing 4 \times 20$ mm, black	# 11.08.298
Fifteen screw M6 x 25 mm, black	# 12.00.903
Screw-in bushing E-620, zamak M6 x 20 mm, YZP	# 12.10.223

TABLE SPANNER "GRABS"

The "Grabs" is mounted under the table top to connect tables by pulling/strapping rubber band around connector hooks. The elastic rubber bands will pull and hold the table tops together. When not in use the rubber band is easily swiveled back and kept in place with an extra hook connector.

The rubber bands come in two lengths. The long 352 mm version is ideal for tables with frames where there is no space for a classic table top connector. The short 176 mm version is to be used on table tops without frame.





TABLE SPANNER "GRABS" - 352 MM

Material:
Connector – black PC/ABS
Rubber band – black EPDM

Item No.:
Connector hook # 24.03.050
Rubber band 352 mm # 24.03.056



X* = Distance lost on table frame.
CC = Center to Center

TABLE SPANNER "GRABS"

- high quality furniture fittings




TABLE SPANNER "GRABS" - 176 MM

Material:


Connector – black PC/ABS
Rubber band – black EPDM

Item No.:


Connector hook # 24.03.050
Rubber band 176 mm # 24.03.055



One table setup




Two tables pushed together.



Two tables locked together.





Catch #22 is a patented version of the traditional table catch. This new model holds itself flat underneath the table top and spare leaves in both the locked and unlocked position.

Flat to base, even when unlocked - see picture A - D.

The old version always hung loose underneath the table and from spare leaves when not in use. This could easily cause damage to surfaces and edges, particularly on tables fitted with folding »butterfly« extension leaves and even to peoples' legs and clothing.

Catch #22

Material:

Stainless Steel, Polished	# 24.03.000
Steel, Bronzed Plated	# 24.03.001
Steel, Yellow Zinc Plated	# 24.03.002
Steel, Bright Zinc Plated	# 24.03.003
Steel, Black E-coated	# 24.02.999

Fixation:

Wood Screws: Ø4 mm x 16 mm, Pan Head

Catch #22 with a 60 mm long hasp for tables with chamfered edges

Steel, Yellow Zinc Plated	# 24.03.005
---------------------------	-------------

Patent:

UK Pat No. 2309252
United States Patent 6,041,721
EP Pat. No. 0786217B1

A



B




C



D





Hide Away Mechanism in action


HIDE AWAY MECHANISM f/ FOLDED TABLE TOPS

- Suitable for table flap widths from 400 to 700 mm.

Material: Steel
Size: Bar: Ø8 x 800 mm
Frame: 160 x 255 mm
Clips: 20 x 75 mm
Screw holes: Ø4,5 mm
Finish: Chrome Plated

The Mechanism incl. 2 Brackets
Material: Steel
Size: 14 x 55 x 109 mm
Screw holes: Ø 4,5 mm
Finish: Chrome Plated

Item No.: # 24.08.016



A in mm.	B in mm.	C in mm.	D in mm.
800	411	270	min. 600
1000	421	280	min. 600
1100	421	280	min. 600
1200	421	280	min. 650




E = (Plate thickness x 2) + 7,50 mm.

min. **F** = (Plate thickness x 2) + 14,50 mm.

HIDE AWAY MECHANISM - ACCESSORIES

PIVOT BEARING – F/BUTTERFLY TABLE LEAVES

Material: Steel
Finish: Bright zinc plated
Item No.: # 24.08.000
(1 set = 2 mounting brackets + 2 L-brackets)



SUPPORT ROLLER - F/BUTTERFLY TABLE LEAVES

Material: Steel and PP
Size: Bracket: 66 x 20 x 12 mm (L/W/H)
Roller: ø 20 mm
Finish: Bright zinc plated & black PP
Item No.: # 24.08.001 (2 pieces)






TABLE SLIDE SUPPORTING ROLLER

Material: Steel and PP
Size: Bracket: 75 x 23 x 23 mm (L/W/H)
Roller: ø 20 mm
Finish: Bright zinc plated & black PP
Item No.: # 24.08.005 (1 piece)








TABLE CLIPS & NUTS

- high quality furniture fittings

SISO
DENMARK


TABLE CLIP

Material:	Steel 1 mm	Screw holes: Ø4 mm
Finish:		Bright Zinc Plated
Size:	21 x 38 x 28 mm	# 24.09.010
	30 x 27 x 27 mm	# 24.09.020



HEXAGONAL NUT DIN 934


Material:	Steel
Finish:	Yellow Zinc or Bright Zinc
Size:	Item No.:
M6	# 12.11.905/906
M8	# 12.12.015/16
M10	# 12.12.026/27



M6 to M10

HEXAGONAL NUT WITH NYLON RING DIN 985

Material:	Steel and nylon
Finish:	Yellow Zinc or Bright Zinc
Size:	Item No.:
M6	# 12.12.421
M8	# 12.12.440
M10	# 12.12.445



M6 to M10

WING NUT

Material:	Steel
Finish:	Yellow Zinc or Bright Zinc
Size:	Item No.:
M6	# 12.12.050/51
M8	# 12.12.055/58
M10	# 12.12.060/61



M6 to M10

LOCKING PIN & HOOKS

LOCKING PIN »CEPACOMO« SPRINGLOADED

Material:	Steel
Size:	Body: 20 x 61 mm Pin: ø 8 x 11 mm
Screw holes:	Ø4,5 mm
Finish: Yellow Zinc	# 04.05.150





TABLE HOOK »DE LUXE«

Material:	Zamak
Total Size:	23,5 x 53,5 mm
Hook opening:	7 mm
Screw hole:	Ø4 mm
Finish: Nickel Plated	# 24.03.085
Yellow Zinc	# 24.03.086








TABLE HOOK »# 7864«



Material:	Steel 1,60 mm
Total Size:	18 x 51,5 mm
Screw hole:	Ø3,5 mm
Finish: Yellow Zinc	# 24.03.080



PLASTIC TACK, NAIL-ON GLIDE

Material: Base: Polyethylene, (PE), brown or white.
Nail: Steel, zinc plated.

Application: Nail-on glide with Ø2 x 15 mm nail.




Item - number	Finish	D diameter	H height
#10.25.018	White	Ø13 mm	6 mm
#10.25.020	White	Ø15 mm	6 mm
#10.25.021	Brown	Ø15,5 mm	6 mm
#10.25.030	White	Ø18 mm	6 mm
#10.25.031	Brown	Ø18 mm	6 mm
#10.25.050	White	Ø22 mm	6 mm
#10.25.058	Brown	Ø28 mm	6 mm

PLASTIC TACK W/FELT, NAIL-ON GLIDE

Material: Base: Polyethylene, (PE), brown or white.
Nail: Steel, zinc plated.
Felt: Grey.

Application: Nail-on glide with Ø1,6 x 13 mm nail.




Item - number	Finish	D diameter	H height	Felt - thickness
# 10.25.078	White	Ø15	8 mm	4 mm
# 10.25.079	Brown	Ø15	8 mm	4 mm
# 10.25.082	White	Ø18	8 mm	4 mm
# 10.25.083	Brown	Ø18	8 mm	4 mm
# 10.25.086	White	Ø22	8 mm	4 mm
# 10.25.087	Brown	Ø22	8 mm	4 mm
# 10.25.090	White	Ø28	8 mm	4 mm
# 10.25.091	Brown	Ø28	8 mm	4 mm

PLASTIC TACK W/FELT, SCREW-ON GLIDE

Material: Base: Polystyrol, (PS), white.
Stud: Steel, zinc plated.
Felt: Grey.

Application: Screw-on glide with Ø3,5 x 20 mm pozidriv screw.

Item - number	Finish	D diameter	H height	Felt - thickness
# 10.25.100	White	Ø20	8 mm	4 mm
# 10.25.105	White	Ø24	8 mm	4 mm
# 10.25.110	White	Ø28	8 mm	4 mm
# 10.25.115	White	Ø40	8 mm	4 mm




STEEL TACK, NAIL-ON GLIDE

Material: Base: Steel, nickel plated.
Nail: Steel, zinc plated.

Application: Nail-on glide with nail.

Item - number	Finish	D diameter	H height	N _{nail} diameter	n _{nail} length
# 10.22.020	NPL	Ø13	3 mm	Ø1,4 mm	12 mm
# 10.22.040	NPL	Ø15	3 mm	Ø1,4 mm	14 mm
# 10.22.050	NPL	Ø16	3,2 mm	Ø1,75 mm	14 mm
# 10.22.060	NPL	Ø18	4 mm	Ø1,75 mm	16 mm
# 10.22.070	NPL	Ø20	4 mm	Ø2 mm	18 mm
# 10.22.080	NPL	Ø23	4 mm	Ø2 mm	19 mm
# 10.22.090	NPL	Ø25	4 mm	Ø2 mm	19 mm
# 10.22.100	NPL	Ø28	5 mm	Ø2 mm	20 mm
# 10.22.110	NPL	Ø30	5 mm	Ø2 mm	20 mm
# 10.22.120	NPL	Ø35	5 mm	Ø2,5 mm	27 mm




ADJUSTABLE GLIDE “ALPHA”

Material: Base: Polyamid (PA), black.
Stud: Steel, bright zinc plated.

Application: W/Knurled edge on base.



Item - number	Finish	D diameter	H height	M size	S stud
10.16.006	Black	Ø15	6 mm	M6	22 mm
10.16.011	Black	Ø20	6 mm	M6	22 mm
10.16.016	Black	Ø20	6 mm	M6	40 mm
10.16.025	Black	Ø25	6 mm	M6	22 mm
10.16.027	Black	Ø25	6 mm	M8	22 mm
10.16.035	Black	Ø32	8 mm	M8	22 mm
10.16.040	Black	Ø38	9 mm	M8	26 mm
10.16.046	Black	Ø44	10 mm	M8	26 mm
10.16.120	Black	Ø60	10 mm	M10	34 mm




ADJUSTABLE GLIDE “MAU”

Material: Base: Polypropylene (PP), black.
Shell: Steel, zinc plated.
Stud: Steel, bright zinc plated.

Application: W/Knurled edge on base.



Item - number	Finish	D diameter	H height	M size	S stud
#10.16.210	Black/ZP	Ø20	7 mm	M6	20 mm
#10.16.214	Black/ZP	Ø28	8 mm	M8	22 mm
#10.16.215	Black/ZP	Ø28	8 mm	M8	38 mm
#10.16.230	Black/ZP	Ø32	9 mm	M10	25 mm




ADJUSTABLE GLIDES

ADJUSTABLE GLIDE "TIME"

Material: Base: Polypropylene (PP), black.
Stud: Steel, bright zinc plated.

Application: W/Hex nut for easy height adjustment and M4 hex hole in top of the stud for quick fixing.
Swivel stud for smooth leveling.




Item - number	Finish	D diameter	H height	M size	S stud
# 10.13.510	Black	Ø50	14 mm	M10	34 mm
# 10.13.520	Black	Ø50	14 mm	M10	98 mm

ADJUSTABLE GLIDE "NORFOLK"

Material: Base: Steel, nickel plated or SS-304.
Stud: Steel, bright zinc plated.
Cushion: Black rubber.

Application: W/Rubber silencer cushion for quiet working environment.



Item - number	Finish	D diameter	H height	M size	S stud
#10.21.290	Black/NPL	Ø23	10 mm	M8	25 mm
#10.21.321	Black/SS-304	Ø30	12 mm	M8	25 mm


ADJUSTABLE GLIDE "BETA"

Material: Base: Polyamid (PA), black.
Stud: Steel, bright zinc plated.

Application: W/Slot in bottom of base for quick fixing.





Item - number	Finish	D diameter	H height	M size	S stud
#10.17.047	Black	Ø20	7 mm	M6	6 mm
#10.17.053	Black	Ø20	7 mm	M6	22 mm



KNOCK IN BUSHING »DR«

Material: Steel, Yellow Zinc Plated (YZP) or Bright Zinc Plated (BZP)
Type: Knock in. With collar


A	B	C	H = Head	YZP	BZP
M6	14 mm	Ø8,3 mm	Ø14 x 1,5 mm	# 12.10.710	# 12.10.711
M8	16 mm	Ø10,5 mm	Ø19 x 2,5 mm	# 12.10.721	# 12.10.720
M10	17 mm	Ø12,5 mm	Ø22 x 2,5 mm	# 12.10.730	# 12.10.731



KNOCK IN BUSHING »BI«

Material: Zamak, Yellow Zinc Plated (YZP)
Type: Knock in. With countersunk collar

A	B	C	H = Head	Finish	Item No.
M8	20 mm	Ø10 mm	Ø19 x 3 mm	YZP	# 12.10.000





- high quality furniture fittings

SISO A/S

Mileparken 11 Phone: (+45) 45 830 900
DK - 2740 Skovlunde (Copenhagen) Fax: (+45) 45 830 444
Denmark E-mail: siso@siso.dk Web: www.siso.dk